J. Bryol. (1987) **14**, 819–825

Index

(An asterisk indicates a new name or combination)

African hepatics, XXXVI, Three new species of *Colura*, E. W. Jones and T. Pócs, 495
African hepatics, XXXVII, Some little-known species and extensions of range, E. W. Jones, 503
African mosses, 527
Alar cells, On the ontogeny of, in *Drepanocladus aduncus, D. exannulatus* and some other species, L. Hedenäs, 753
Allen, B. H.:
A revision of the genus *Mesotus* (Musci: Dicranaceae), 441
Renauldia paradoxica Allen sp. nov. (Musci: Pterobryaceae), 677
Allen, B. H. and Crosby, M. R., *Pseudoscleropodium purum* re-established in South America, 523
Amblystegium riparium in brewery effluent channels, M. G. Kelly and B. Huntley, 792
American mosses, 99, 297, 523, 677
Ancient bryology, Studies in, I, Introduction and liverworts to 1500 A.D., G. A. M. Scott, 625
Anomobryum, 659
**A. polysetum* Shaw, a new species from Mexico, J. Shaw, 99
Aongstroemia filiformis (P. Beauv.) Wijk & Marg., 529
Aphanolejeunea microscopica, 5
Appleyard, J., Leaf gemmae in *Orthotrichum tenellum*, 179
**Aptychella scalaris* Fleisch. nom. nov., 593
Archaeological site in Suffolk, Bryophytes from an, R. Stevenson, 184
Archidium capsule, The development of the, clarification of a misconception, I. G. Stone, 745
A. stellatum Stone, 745
Arsenate, selenite and distilled water, The effects of, on the physiology and fine structure of *Hylocomium splendens*, J. M. Wells, S. F. McNally and D. H. S. Richardson, 551
Arts, T. and Nordhorn-Richter, G., *Epipterygium tozeri* in Europe, its distribution and vegetative propagation, 91
Arts, T., Nordhorn-Richter, G. and Smith, A. J. E., *Pohlia muyldermansii* Wilcz. & Dem. var. *pseudomuyldermansii* var. nov., a new name for *P. muyldermansii* Wilcz. & Dem. sensu Lewis & Smith, 635
Asakawa, Y., Chemical relationships between algae, bryophytes and pteridophytes, 59
Asiatic liverworts, 245, 249, 531
Asiatic mosses, 327, 333, 597, 793
Aspiromitus leiosporus Gott. ex Steph., 256
A. rigidus (Lehm. ex Gott.) Steph., 256
Atrichum undulatum (Hedw.) P. Beauv., 334
Australasian mosses, 103, 301, 315, 319, 441, 487, 691, 701
Australian Calymperaceae, New records of, and keys to Australian species of *Calymperes, Mitthyridium* and *Syrrhopodon*, W. D. Reese and I. G. Stone, 487
Axillary rhizoids, North European mosses with, a taxonomic study, L. Hedenäs, 429

Balearic Islands, New bryophyte records from the, T. L. Blockeel and A. C. Crundwell, 519
Bartlett, J. K., Some mosses of Rarotonga, Cook Island group, 359
Bates, J. W., Nutrient retention by *Pseudoscleropodium purum* and its relation to growth, 565
Bisang, I., The sporeling development of *Frullania tamarisci* (L.) Dum., 761
Blackstock, T. H., The male gametophores of *Leucobryum glaucum* (Hedw.) Ångstr. and *L. juniperoideum* (Brid.) C. Muell. in two Welsh woodlands, 535
Blepharoplast, The, of *Hypnum*, J. G. Duckett and K. S. Renzaglia, 375
Blockeel, T. L., The status of *Orthotrichum urnigerum* in Britain and a comparison of *O. urnigerum* and *O. anomalum*, 649
Blockeel, T. L. and Crundwell, A. C., New bryophyte records from the Balearic Islands, 519
Boyce, D., *see* Newton, M. E.
Brachymenium, 659
Brachythecium rutabulum, seasonal changes in chlorophyll content and quantum efficiency, 151
Brasell, H. M., Davies, S. K. and Mattay, J. P., Nitrogen fixation associated with bryophytes colonizing burnt sites in Southern Tasmania, Australia, 139
Brown, D. H., Review of *Biological monitoring of environmental contaminants (plants)* by M. A. S. Burton, 599

Brown, D. H. and Whitehead, A., The effect of mercury on the physiology of *Rhytidiadelphus squarrosus* (Hedw.) Warnst., 367
Bryopteris filicina, 5
Bryoxiphium norvegicum, 9
Bryum, Anomobryum and *Brachymenium*, A proposed reclassification of, J. R. Spence, 659
Bulbils on *Kurzia Trichodados* (K. Muell.) Grolle in Great Britain and Ireland. J. A. Paton, 181
Bulbils on *Telaranea nematodes* (Gott. ex Aust.) Howe in Ireland, J. A. Paton, 792
Burton, M. A. S., *Biological monitoring of environmental contaminants (plants)*, review, 599

**Calymperastrum*, a new genus of Pottiaceae, I. G. Stone, 315
**C. latifolium* (Hampe) Stone, comb. nov., 315
Calymperes, Australian species, 487; taxonomic notes on, L. T. Ellis, 681
C. disjunctum Besch., 683
C. geppei Besch., 685
C. incertum Card., 683
C. isleanum Besch., 683
C. laevifolium Mitt., 683
C. malayanum Besch., 681
C. mariei Besch., 683
C. moluccense Schwaegr., 681
C. palisotii Schwaegr., 683
C. punctulatum Hampe, 682
Campylopus speices of Australia, A survey of the, J.-P. Frahm, 701
**C. acuminatus* Mitt. var. *kirkii* (Mitt.) Frahm, comb. nov., 702
C. australis Catcheside & Frahm, 704
C. bicolor (C. Muell.) Wils., 705
C. catarractilis (C. Muell.) Par., 705
C. chilensis De Not., 708
C. clavatus (R. Brown) Wils., 708
C. comosus (Schwaegr.) Bosch & Lac., 708
C. eberhardtii Par., 701
C. flavonigritus Dus., 708
C. flexuosus (Hedw.) Brid., 714
C. flindersii Catcheside & Frahm, 715
C. incrassatus C. Muell., 715
C. introflexus (Hedw.) Brid., 715
C. involutus (C. Muell.) Jaeg., 716
C. pseudoacicularis Broth., 719
C. pyriformis (Schultz) Brid., 719
C. schmidii (C. Muell.) Jaeg., 721
C. subappressifolius Broth. & Geh., 708
C. umbellatus (Arn.) Par., 723
C. wattsii Broth., 714
Castaldo-Cobianchi, R. and Giordano, S., Spore wall morphology and dehiscence pattern in the liverwort *Fossombronia caespitiformis* De Not., 363
Cephalojonesia incuba Grolle & Vanden Berghen, 503
Ceratolejeunea spinosa, 5
Ceylon, *see* Sri Lanka
Chawley Brick Pit, Oxford, Bryophytes in, 1948–1985, E. W. Jones, 347.
Chemical relationships between algae, bryophytes and pteridophytes, Y. Asakawa, 59
Chin, C., Maclellan, A. J. and Renzaglia, K. S. Vegetative growth and reproduction of *Fossombronia brasiliensis* Steph., the influence of photoperiod, temperature and inorganic nitrogen source, 581
Chlorophyll content and quantum efficiency of the moss *Brachythecium rutabulum*, Seasonal changes in the, K. A. Kershaw and M. R. Webber, 151
Chromosome numbers of two Atlantic species of bryophyte, E. Kuta and R. Ochyra, 595
Churchill, S.P., A revision of *Echinodium* Jur. (Echinodiaceae: Hypnobryales), 117
Clarke, G. C. S., Recent bryological literature, 185, 397, 609, 799
Clasmatocolea vermicularis (Lehm.) Grolle, 503
**Colura hedbergiana* Pócs, sp. nov., 499
**C. saroltae* Pócs, sp. nov., 497
**C. usambarica* E. W. Jones, sp. nov. 495
Corley, M. F. V., Newton, M. E. and Edwards, S. R., *Didymodon nicholsonii* Culm. with sporophytes in England, 653
Crandall-Stotler, B., Morphogenesis, developmental anatomy and bryophyte phylogenetics, contraindications of monophyly, 1
Cratoneuron commutatum (Hedw.) Roth, 544
Cratoneuropsis relaxa (Hook. f. & Wils.) Fleisch., 460
Crosby, M. R., *see* Allen, B. H.
Crum, H. A., *Illustrated moss flora of arctic North America and Greenland, 2, Sphagnaceae*, review, 795
Crundwell, A. C.:
Review of *Illustrated moss flora of arctic North America, 1, Polytrichaceae* by D. G. Long, 797
Review of *Introduction to bryology* by W. B. Schofield, 796
Scopelophila cataractae in Devonshire, 387
Crundwell, A. C., *see also* Blockeel, T. L.
Cyclodictyon blumeanum (C. Muell.) O. Kuntze, 334
Cylindrocolea chevalieri (St.) Schust. new to India, A. Kumar and S. C. Srivastava, 245

Damanhuri, A. and Mohammed, M. A. H., Two new species of *Distichophyllum* from Malaya, 327
Daniels, R. E. and Eddy, A., *Handbook of European Sphagna*, review, 391
Davies, S. K., *see* Brasell, H. M.
Dicranella symonii Dix., 529
Didymodon nicholsonii Culm. with sporophytes in England, M. F. V. Corley, M. E. Newton and S. R. Edwards, 653
Dirkse, G. M. and Isoviita, P., *Sphagnum denticulatum*, an older name for *S. auriculatum*, 388
Discelium nudum Brid., Colourless tubers in, A. G. Side and H. L. K. Whitehouse, 741
Distichophyllum from Malaya, Two new species of, A. Damanhuri and M. A. H. Mohamed, 327
**D. malayense* Damanhuri & Mohamed, sp. nov., 327
**D. ulukaniense* Damanhuri & Mohamed, sp. nov., 329
Douinia ovata (Dicks.) Buch, chromosomes, 595
Drepanocladus aduncus, 753
D. exannulatus, 753
Duckett, J. G., Ultrastructure in bryophyte systematics and evolution, an evaluation, 25
Duckett, J. G. and Renzaglia, K. S., The blepharoplast of *Hypnum*, 375

Echinodium Jur., A revision of, S. P. Churchill, 117
E. arboreum Broth., 126
E. falcatulum Broth. et Par., 126
E. hispidum (Hook. f. et Wils.) Jur., 126, 455
E. parvulum Broth. et Watts, 128
E. prolixum (Mitt.) Broth., 122
E. renauldii (Card.) Broth., 124
E. savicziae A. Abr. & I. Abr., 131
E. setigerum (Mitt.) Jur., 125; var. *integrifolium* Luis, 125
E. spinosum (Mitt.) Jur., 121
E. umbrosum (Mitt.) Jaeg., 128; *var. *glaucoviride* (Mitt.) Churchill, comb. nov., 129
Ecological factors relating to morphological variation in the aquatic moss *Rhynchostegium riparioides* (Hedw.) C. Jens, J. D. Weir and B. A. Whitton, 269
Eddy, A., *see* Daniels, R. E.
Edwards, S. R., *see* Corley, M. F. V.
Eggers, J. and Schäfer-Verwimp, A., Some liverworts new to Sri Lanka (Ceylon), 531
Ellis, L. T., Taxonomic notes on *Calympores*, 681
Epipterygium rigidum Lindb., 91
E. tozeri in Europe, its distribution and vegetative propagation, T. Arts and G. Nordhorn-Richter, 91
Eucladium verticillatum (Brid.) Br. Eur., 544
**Eurhynchium flavidulum* (Dusén) Ochyra, comb. nov., 458

Fissidens subgenus *Aneuron* in Australia, A comparison of the species of, I. G. Stone, 319
F. dealbatus Hook. f. & Wils., 319
F. nymanii (Fleisch.) Par., 319
F. splachnoides Broth., 319
F. taxifolius, 9
Fontinalis, rhizoid production in, 779
Fossombronia brasiliensis Steph., 9; vegetative growth and reproduction of, the influence of photoperiod, temperature and inorganic nitrogen source, C.-M. Chin, A. Maclellan and K. S. Renzaglia, 581
F. caespitiformis De Not., Spore wall morphology and dehiscence pattern in, R. Castaldo-Cobianchi and S. Giordano, 363
Frahm, J.-P., A survey of the *Campylopus* species of Australia, 701
Frisvoll, A. A.:
Notes on *Hypnum scalare* Zenker et Dietrich and on their exsiccate *Musci Thuringici*, 593
Southern hemisphere synonyms of *Racomitrium sudeticum* (Funck) Bruch et Schimp., 339
Frullania tamarisci (L.) Dum., 761

Gangulee, H. C., *Handbook of Indian mosses*, review, 392
Giordano, S., *see* Castaldo-Cobianchi, R.
Glime, J. M. and Raeymaekers, G., Temperature effects on branch and rhizoid production in six species of *Fontinalis*, 779
Gradstein, S. R. and Richards, P.W., Frans Verdoorn, 1906–1984, and his contribution to bryology, 203
Greek mosses, A further note on, C. C. Townsend, 597
Greek mosses, Records of, C. C. Townsend, 135
Greene, D. M., *A conspectus of the mosses of Antarctica, South Georgia, the Falkland Islands* and southern *South America*, review, 795
Griffin, D., A new *Hookeriopsis* from the páramos of Venezuela, 297
Gymnostomum recurvirostrum Hedw., 544

Hallet, J. N., Mansour, K. S. and Lecocq, F. M., Evolution de la structure plastidiale et des reserves polysaccharidiques au cours de la déshydratation des gamétophytes feuillés du *Polytrichum formosum* Hedw. (Polytrichales), 765
Haplomitrium hookeri, 13
Hasegawa, J. and Tan, B. C., *Notothylas breutelii*,

a Caribbean species newly found in the Philippines, 249
Hässel de Menendez, G. G., *Leiosporoceros* Hässel n. gen. and *Leiosporocerotaceae* Hässel n. fam. of Anthocerotopsida, 255
Hedenäs, L.:
North European mosses with axillary rhizoids, a taxonomic study, 429
On the ontogeny of alar cells in *Drepanocladus aduncus, D. exannulatus* and some other species, 753
On the taxonomic position of *Tomentypnum* Loeske, 729
Hill, M. O.:
Review of *Handbook of European Sphagna* by R. E. Daniels and E. Eddy, 391
Review of *Illustrated moss flora of arctic North America and Greenland, 2, Sphagnaceae* by H. A. Crum, 795
Hill, M. O. and Whitehouse, H. L. K., On the identity of the plant from Roscommon, 594
Homalothecium nitens (Hedw.) Robins. in Ireland, The occurrence of, N. D. Lockhart, 511
Hookeriopsis, A new, from the páramos of Venezuela, D. Griffin, 297
**H. steerei* D. Griffin, sp. nov., 297
Huntley, B., *see* Kelly, M. G.
Hylocomium splendens, 159, 551
Hyocomium armoricum (Brid.) Wijk & Marg., chromosomes, 596
Hypnum jutlandicum Holmen & Warncke, 376
H. mammillatum (Brid.) Loeske, 376
H. scalare Zenker et Dietrich, Notes on, and on their exsiccate *Musci Thuringici*, A. A. Frisvoll, 593

Isoviita, P., *see* Dirkse, G. M.

Jones, E. W.:
African Hepatics, xxxvii, Some little-known species and extensions of range, 503
Bryophytes in Chawley Brick Pit, Oxford, 1948–1985, 347
Review of *A monograph of the genera Lepidolejeunea* and *Luteolejeunea* (Lejeuneaceae, Hepaticae) by S. Piippo, 393
Jones, E. W. and Pócs, T., African Hepatics, xxxvi, Three new species of *Colura*, 495
Jovet-Ast, S., *Les Riccia de la région méditerraniéenne*, review, 600
Jubula pennsylvanica, 5
Jungermannia leiantha, 9

Kallio, P. and Saarnio, E., The effect on mosses of transplantation to different latitudes, 159
Kelly, M. G. and Huntley, B., *Amblystegium riparium* in brewery effluent channels, 792
Kershaw, K. A. and Webber, M. R., Seasonal changes in the chlorophyll content and quantum efficiency of the moss *Brachythecium rutabulum*, 151
Kumar, A. and Srivastava, S. G., *Cylindrocolea chevalieri* (St.) Schust. new to India, 245
Kurzia trichoclados (K. Muell.) Grolle in Great Britain and Ireland, Bulbils on, J. A. Paton, 181
Kuta, E. and Ochyra, R., Chromosome numbers of two Atlantic species of bryophyte, 595

Lasala, E. F., A new locality for *Tetralophozia filiformis* (Steph.) Urmi in Spain, 791
Lecocq, F. M., *see* Hallet, J. N.
**Leiosporoceros* Hässel n. gen. and Leiosporocerotaceae Hässel n. fam. of Anthocerotopsida, G. G. Hässel de Menéndez, 255
**L. dussii* (Steph.) Hässel, comb. nov., 255
*Leiosporocerotaceae, fam. nov., 255
Lejeunea autoica Schuster, 506
L. camerunensis Steph., 506
L. capensis Gottsche, 506
L. ramosissima Steph., 508
Leptodontium flexifolium (With.) Hampe, Gemmae in British, M. E. Newton and D. Boyce, 737
Lesotho, Alpine mosses of, 527
Leucobryum glaucum (Hedw.) Ångstr., male gametophores, 535
L. juniperoideum (Brid.) C. Muell., male gametophores, 535
Lightowlers, P. J., Taxonomy and distribution of the subantarctic species of *Tortula*, 281
Limbella (C. Muell.) Broth., On the taxonomy and family placement of, R. Ochyra, 465
L. fryei (R. S. Williams) Ochyra, 477
L. tricostata (Sull.) Broth., 470
Lockhart, N. D., The occurrence of *Homalothecium nitens* (Hedw.) Robins. in Ireland, 511
Long, D. G.:
Illustrated moss flora of arctic North America, 1, Polytrichaceae, review, 797
Review of *Handbook of Indian mosses* by H. C. Gangulee, 392
Longton, R. E., review of *A conspectus of the mosses of Antarctica, South Georgia, the Falkland Islands and southern South America* by D. M. Greene, 795

Maclellan, A. J., *see* Chin, C.
McNally, S. F., *see* Wells, J. M.
Magill, R. E., Musci Austro-Africana, III, Alpine mosses of Lesotho, 527

Male gametophores, The, of *Leucobryum glaucum* (Hedw.) Ångstr. and *L. juniperoideum* (Brid.) C. Muell. in two Welsh woodlands, T. H. Blackstock, 535
Mansour, K. S., *see* Hallet, J. N.
Mattay, J. P. *see* Brasell, H. M.
Mercury, The effect of, on the physiology of *Rhytidiadelphus squarrosus* (Hedw.) Warnst., D. H. Brown and A. Whitehead, 367
*Mesotoideae Allen, subfam. nov., 444
Mesotus, A revision of the genus, B. H. Allen, 441
M. acutus Mitt., 445
M. celatus Mitt., 445
Miller, H. A. Pacific bryophytes, 3, An overview of *Telaranea*, Hepatophyta, 231
Mishler, B. D., A Hennigian approach to bryophyte phylogeny, 71
Mitochondria, ultrastructure, 30
Mittenia plumula (Mitt.) Lindb. and *Schistostega pennata* (Hedw.) Web. & Mohr, The relationship between, I. G. Stone, 301
Mitthyridium, Australian species, 487
Mohamed, A. D., *see* Mohamed, M. A. H.
Mohamed, M. A. H. and Mohamed, A. D., Four genera of mosses new to Peninsular Malaysia, 333
Mohamed, M. A. H., *see also* Damanhuri, A.
Morphogenesis, developmental anatomy and bryophyte phylogenetics, contraindications of monophyly, B. Crandall-Stotler, 1
Musci Austro-Africana, III, Alpine mosses of Lesotho, R. E. Magill, 527
Musci Thuringici, 593

*Neckeraceae Schimp. subfam. Thamnobryoideae (Marg. & During) Ochyra, *stat. nov.*, R. Ochyra, 180
Newton, M. E.:
Bryophyte phylogeny in terms of chromosome cytology, 43
Pellia borealis, its cytological status and discovery in Britain, 215
Newton, M. E. and Boyce, D., Gemmae in British *Leptodontium flexifolium* (With.) Hampe, 737
Newton, M. E., *see also* Corley, M. F. V.
Nitrogen fixation associated with bryophytes colonizing burnt sites in southern Tasmania, Australia, H. M. Brasell, S. K. Davies and J. P. Mattay, 139
Nordhorn-Richter, G., *see* Arts, T.
Notothylas breutelii, a Caribbean species newly found in the Philippines, J. Hasegawa and B. C. Tan, 249
Nutrition retention by *Pseudoscleropodium purum* and its relation to growth, J. W. Bates, 565

Ochyra, R.:
A revision of the moss genus *Sciaromium* (Mitt.) Mitt., I, General remarks and the section *Aloma* Dusén, 453
Neckeraceae Schimp. subfam. Thamnobryoideae (Marg. & During) Ochyra, *stat. nov.*, 180
On the taxonomic position of *Sciaromium lacustre* Herz. & Rich. in Rich., 109
On the taxonomy and family placement of the moss genus *Limbella* (C. Muell.) Broth., 465
Touwia laticostata, a remarkable new genus and species of moss from Queensland, Australia, 103
Ochyra, R., *see also* Kuta, E.
**Ochyraea tatrensis* gen. et spec. nov. a remarkable pleurocarpous moss from Czechoslovakia, J. Váňa, 261
Oil bodies, ultrastructure, 29
Omphalanthus filiformis, 7
Orthotrichum anomalum, 649
O. tenellum, Leaf gemmae in, J. Appleyard, 179
O. urnigerum in Britain, The status of, and a comparison of *O. urnigerum* and *O. anomalum*, T. L. Blockeel, 649
Oxystegus sinuosus, 594

Pacific bryophytes, 3, An overview of *Telaranea*, Hepatophyta, H. A. Miller, 231
Paton, J. A.:
Bulbils on *Kurzia trichoclados* (K. Muell.) Grolle in Great Britain and Ireland, 181
Bulbils on *Telaranea nematodes* (Gott. ex Aust.) Howe in Ireland, 792
Review of *Les Riccia de la Région Méditerraniéenne* by S. Jovet-Ast, 600
Pellia borealis Lorbeer, its cytological status and discovery in Britain, M. E. Newton, 215
Peninsular Malaysia, Four genera of mosses new to, M. A. H. Mohamed and A. D. Mohamed, 333
Pentecost, A., Some observations on the growth rates of mosses associated with tufa and the interpretation of some postglacial bryoliths, 543
Philonotis lancifolia Mitt., a new record from India, B. D. Vashistha, 597
Phylogeny, bryophyte, A Hennigian approach to, B. D. Mishler, 71
Phylogeny, Bryophyte, fact or fiction?, A. J. E. Smith, 83

Phylogeny, Bryophyte, in terms of chromosome cytology, M. E. Newton, 43
Physcomitrium pyriforme (Hedw.) Hampe, 334
Piippo, S., *A monograph of the genera Lepidolejeunea and Luteolejeunea (Lejeuneaceae, Hepaticae)*, review, 393
Plastids, ultrastructure, 30
Pleurozium scherberi, 159
**Pohlia muyldermansii* Wilcz. & Dem. var. *pseudomuyldermansii* var. nov., a new name for *P. muyldermansii* Wilcz. & Dem. sensu Lewis & Smith, T. Arts, G. Nordhorn-Richter and A. J. E. Smith, 635
Polytrichum formosum Hedw., 765
Preston, C. D., review of *Atlas de distribution des bryophytes de Belgique, du Grand-Duché de Luxembourg et des régions limitrophes, 1, Anthocerotae & Hepaticae (1830–1984)* edited by R. Schumacker, 393
**Pseudoleskea chilensis* (Lor.) Ochyra, comb. nov., 459
Pseudoscleropodium purum, nutrient retention, 565
P. purum re-established in South America, B. H. Allen and M. R. Crosby, 523

Racomitrium amoenum (Broth.) Par., 340
R. austro-georgicum Par., 340
R. austro-sudeticum Broth., 345
R. lanuginosum, 159
R. skottsbergii Card. et Broth., 342
R. substenocladum Card., 341
R. sudeticum (Funck) Bruch et Schimp., Southern hemisphere synonyms of, A. A. Frisvoll, 339
Raeymaekers, G., *see* Glime, J. M.
Rarotonga, Cook Island group, Some mosses of, J. K. Bartlett, 359
Recent bryological literature, 185, 397, 609, 799
Reese, W. D. and Stone, I. G., New records of Australian Calymperaceae and keys to Australian species of *Calymperes*, *Mitthyridium* and *Syrrhopodon*, 487
**Renauldia paradoxica* Allen sp. nov., B. H. Allen, 677
Renzaglia, K. S., *see* Chin, C. and Duckett, J. G.
Rhizoid production in *Fontinalis*, 779
Rhizoids, axillary, 429
Rhynchostegium riparioides (Hedw.) C. Jens., 269, 544
Rhytidiadelphus squarrosus (Hedw.) Warnst., 367
Richards, P. W., Obituary of E. C. Wallace, 603
Richards, P. W., *see also* Gradstein, S. R.
**Richardsiopsis* Ochyra, gen. nov., 111
**R. lacustris* (Herz. & Rich.) Ochyra, comb. nov., 111
Richardson, D. H. S., *see* Wells, J. M.
Roscommon, On the identity of the plant from, M. O. Hill and H. L. K. Whitehouse, 594
Saarnio, E., *see* Kallio, P.
Sayre, G., Biographical sketch of Thomas Taylor, 415
Schäfer-Verwimp, A., *see* Eggers, J.
Schistostega pennata (Hedw.) Web. & Mohr, 301
Schofield, W. B., *Introduction to bryology*, review, 796
Schumacker, R., *Atlas de distribution des bryophytes de Belgique, du Grand Duché de Luxembourg et des regions limitrophes, 1, Anthocerotae & Hepaticae (1830–1984)*, review, 393
Sciaromium (Mitt.) Mitt., A revision of the moss genus, I, General remarks and the section *Aloma* Dusén, R. Ochyra, 453
S. bellii Broth., 460
S. elimbatum Broth. & Watts, 462
S. forsythii Broth., 462
S. gracile Dusén, 459
S. lacustre Herz. & Rich. in Rich., On the taxonomic position of, R. Ochyra, 109
Scopelophila cataractae in Devonshire, A. C. Crundwell, 387
Scott, G. A. M.:
Southern Australian liverworts, review, 395
Studies in ancient bryology, I, Introduction and liverworts to 1500 A.D., 625
Selenite, effects of, on *Hylocomium splendens*, 551
Seppelt, R. D., review of *Southern Australian liverworts* by G. A. M. Scott, 395
Shaw, J. *Anomobryum polysetum* Shaw, a new species from Mexico, 99
Side, A. G. and Whitehouse, H. L. K., Colourless tubers in *Discelium nudum* Brid., 741
Smith, A. J. E., Bryophyte phylogeny, fact or fiction?, 83
Smith, A. J. E., *see also* Arts, T.
Spence, J. R. A proposed reclassification of *Bryum*, *Anomobryum* and *Brachymenium* (Musci, Bryaceae), 659
Sphagnum denticulatum, an older name for *S. auriculatum*, G. M. Dirkse and P. Isoviita, 388
Sporeling development, The, of *Frullania tamarisci* (L.) Dum., I. Bisang, 761
Sri Lanka (Ceylon), Some liverworts new to, J. Eggers and A. Schäfer-Verwimp, 531
Srivastava, S. C., *see* Kumar, A.
Stevenson, R., Bryophytes from an archaeological site in Suffolk, 182
Stone, I. G.:
A comparison of the species of *Fissidens* subgenus *Aneuron* in Australia, 319

Calymperastrum, a new genus of Pottiaceae, 315
The development of the *Archidium* capsule, clarification of a misconception, 745
The relationship between *Mittenia plumula (Mitt.) Lindb. and Schistostega pennata* (Hedw.) Web. & Mohr, 301
Tristichella dimorpha (Sematophyllaceae), a new species from Queensland, 691
Stone, I. G., *see also* Reese, W. D.
Syrrhopodon, Australian species, 487

Takakia lepidozioides, 13
*Takakiophyta Crandall-Stotler, div. nov., 17
Tan, B. C., *see* Hasegawa, J.
Taylor, Thomas, Biographical sketch of, G. Sayre, 415
Telaranea, An overview of, Pacific bryophytes, 3, H. A. Miller, 231
T. bisetula (Steph.) E. O. Campbell, 233
T. chaetocarpa (Pears.) Grolle, 233
T. nematodes (Gott. ex Aust.) Howe, bulbils, 792
**T. jowettiana* H. A. Miller, sp. nov., 235
**T. melanesica* H. A. Miller, sp. nov., 237
**T. rosarioana* H. A. Miller, sp. nov., 240
Temperature effects on branch and rhizoid production in six species of *Fontinalis*, J. M. Glime and G. Raeymaekers, 779
Tetralophozia filiformis (Steph.) Urmi in Spain, A new locality for, E. F. Lasala, 791
Tomentypnum Loeske, On the taxonomic position of, L. Hedanäs, 729
Tortula, Taxonomy and distribution of the subantarctic species of, P. J. Lightowlers, 281
T. anderssonii Aongstr., 283
T. arenae (Besch.) Broth., 285
T. filaris (C. Müll.) Broth., 286
T. geheebiaeopsis (C. Müll.) Broth., 287
T. princeps De Not., 290
T. rallieri Card., 287
T. rubra Mitt., 288
**Touwia laticostata*, a remarkable new genus and species of moss from Queensland, Australia, R. Ochyra, 103
Townsend, C. C.:
A further note on Greek mosses, 597
Records of Greek mosses, 135
Trichostomopsis aaronis (Lor.) Agnew & Townsend new to the U.S.S.R., 793
Transplantation to different latitudes, The effect on mosses of, P. Kallio and E. Saarnio, 159
Trichostomopsis aaronis (Lor.) Agnew & Townsend new to the U.S.S.R., C. C. Townsend, 793
**Tristichella dimorpha* (Sematophyllaceae), a new species from Queensland, I. G. Stone, 691
T. spiculifera Dix., 336
Tufa, Some observations on the growth rate of mosses associated with, and the interpretation of some postglacial bryoliths, A. Pentecost, 543

Ultrastructure in bryophyte systematics and evolution, an evaluation, J. G. Duckett, 25

Váňa, J., *Ochyraea tatrensis* gen. et spec. nov., a remarkable pleurocarpous moss from Czechoslovakia, 261
Vashistha, B. D., *Philonotis lancifolia* Mitt., a new record from India, 597
Verdoorn, Frans, 1906–1984, and his contribution to bryology, S. R. Gradstein and P. W. Richards, 203

Wallace, E. C., obituary, 603
Wallchart, *Mosses and their habitats*, review, 797
Webber, M. R., *see* Kershaw, K. A.
Wehr, J. D. and Whitton, B. A., Ecological factors relating to morphological variation in the aquatic moss *Rhynchostegium riparioides* (Hedw.) C. Jens. 269
Wells, J. M., McNally, S. F. and Richardson, D. H. S., The effects of arsenate, selenite and distilled water on the physiology and fine structure of *Hylocomium splendens*, 551
Whitehead, A., *see* Brown, D. H.
Whitehouse, H. L. K., review of wallchart, *Mosses and their habitats*, 797
Whitehouse, H. L. K., *see also* Hill, M. O. and Side, A. G.
Whitton, B. A., *see* Wehr, J. D.